

Flip - Rigid Base - Transit Not Included (E1233,E1161) Flip - Folding Base - Transit Included (E1234, E1161) Flip - Folding Base - Transit Not Included (E1234,E1161) 165 lb weight capacity Tilt range: 0° - 45° Maximum Seat Width of 18"





Account Number:	Date:	Address:	
Quote: PO Number:		City:	
Associated Quote/Order#:		Phone:	
		Email:	
			Effective: 1/20/2025
Flip - Rigid Base - Transit Included	(E1233, E1161)	\$	

Frame

Frame Width Select box corresponding to desired Frame Width Frame Width 11" 12" 13" 14" 10" 16" 17" 18"

Frame Depth Select Frame Depth within desired Frame Depth Range

Frame Depth Range			Frame Depth					
Short (12" - 16")	12" N/C	13" N/C	14" N/C	15" N/C	16" N/C			
Medium (14" - 18")	14" N/C	15" N/C	16" N/C	17" N/C	18" N/C			
Long (16" - 20")	16" N/C	17" N/C	18" N/C	19" N/C	20" (E2203) \$			

Transit Option	
Transit System No charge when selected with Base Options with Transit Included	\$
Omit Transit	N/C
Offset Hanger Option	
Offset Hanger Available only with Rigid Base	\$
Tilt Mechanism	
Hand TiltFoot Tilt	N/C N/C
Seat Pan	

Growing Solid Seat Pan (E2231)

Omit Seat Pan

Backrest

Back Post / Height Range / Back Height	Adjustable Height Back Post Height						
Stroller Handle Back Post (Short 20")	N/C N/C N/C	22" Back Height 23" Back Height 24" Back Height 25" Back Heig					
Fixed Height Back with Adjustable Handle (Tall 26")	N/C	Stroller Handle Back Post Option					
Reclining Back with Adjustable Handle (Short 22") (Non-Folding) (E1225)_ Not available with Dynamic Back or Rigidizer Bar. Available only with Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel.	_ \$	Available only with Stroller Handle Back Post Removable Stroller Handle Extension Other Backrest Options					
Reclining Back with Adjustable Handle (Tall 26") (Non-Folding) (E1225)	\$	Non Folding Back Standard with Dynamic Back					
Not available with Dynamic Back or Rigidizer Bar. Available only with Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel.		Dynamic Back (Non-Folding) (E2398) Not available with Flip Up Armrests. Available only with Non Folding Back.					
Adjustable Height Back with Adjustable Handle (Short 18" - 25") Not available with Dynamic Back	N/C	Adjustable Height Rigidizer Bar					
Adjustable Height Back with Adjustable Handle (Tall 20" - 27") 20"-22" Heights not available with Dynamic Back	N/C						

HCPCS Codes provided are based on code verification by the PDAC or our interpretation of the code definitions. Proper use of HCPCS Codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy. \$ N/C





3" Extension (Provided as Parts)



\$

Footrest

Footrest Hanger Type									
Hanger	70°	80°	90°		Retail				
Extension Tube Mount		1			N/C				
Front Mount		1	1		N/C				
Pro Elevating Leg Rests E0990 ²					\$				
Pediatric Pro Elevating Leg Rests E0990					\$				
Omit Hangers					\$				

¹ Not available with 8" casters

² Available only with Classic hanger release. Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers.

Pro ELR Cover	
Available only on Pro ELR	
Pro ELR Gel Pad Cover (PAIR)	\$
Hanger Extension Tubes	
Available only with Front Mount Hangers	
3" Extension	\$

Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements based on 70° Hanger Bend

Footrest	Extension	Seat to Footrest Length											
	Short (10" - 13.5")	10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"				
Extension Tube Hangers (70°,80°)	Medium (11.5" - 15.5")	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"			
(, 0, ,00,)	Long (14" - 18")	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"			
					Star	dard Selecti	ions				Requi	ires 3" Exte	nsion
	Short Front Mount Hanger	4" 4	4.5" ⁴	5"	5.5"	6"					8.5"	9"	9.5"
	(70°,80°,90°)	6.5"	7"	7.5"	8"						10"	10.5"	11"
Front Mount Hangers 1	Medium Front Mount Hanger	4" ⁴	4.5" ⁴	5"	5.5"	6"	6.5"	7"			10.5"	11"	11.5"
	(70°,80°,90°)	7.5"	8"	8.5"	9"	9.5"	10"				12"	12.5"	13"
	Long Front Mount Hanger	5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"		12.5"	13"	13.5"
	(70°,80°)	9"	9.5"	10"	10.5"	11"	11.5"	12"			14"	14.5"	15"
Peds Pro ELR	Low Pivot Setting (6" - 11.5")	6" ³	6.5" ³	7" ³	7.5"	8"	8.5"	9" ²	9.5" ²	10" ²	10.5" ²	11" ²	11.5" ²
Peas Pro ELK	High Pivot Setting (6" - 10")	6" ³	6.5" ³	7" ³	7.5" ²	8" ²	8.5" ²	9" ²	9.5" ²	10" 2			
Pro ELR Low Pivot	Pro ELR Low Pivot Setting Short (10.5" - 15.5")												
Setting	Pro ELR Low Pivot Setting Long (13" - 19")												
Pro ELR High Pivot	Pro ELR High Pivot Setting Short (8.5" - 17")												
Setting	Pro ELR High Pivot Setting Long (11.5" - 17.5")												

¹ See Minimum Front Seat Height chart to the right

⁴ Available only with 90° Front Mount Hangers

Minimum Front Seat Height with Front Mount Hangers									
Hanger Length	Short		Medium		Long				
Hanger Bend	70°	80/90°	70°	80/90°	70°	80°			
Minimum Front Seat Height with Standard Selection	13"	13"	13"	13.5"	14.5"	15.5"			
Minimum Front Seat Height with 3" Extension	13.5"	14"	15.5"	16"	17"	18"			

² Comes standard with 3" Extension

³ Not available on chairs 14" wide or more





Heel Loops



Footplates No selection needed with Contracture Footrest N/C Composite Not available with Front Mount Hanger, Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hanger. Composite Angle Adjustable (K0040) \$ Not available with Front Mount Hanger or 10"-12" Frame Widths. 13" and 14" Frame Widths require Offset Hanger \$ Aluminum Angle Adjustable (K0040) Aluminum Locking Multi-Angle Adjustable (KO108) Available only with Front Mount Hanger

Heel Loops (E0951)	\$
Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers.	
Adjustable Heel Loops (E0951)	\$
Omit Heel Loops	N/C
'	
Calf Straps	
Velcro Adjustable (K0038)	\$
Padded Velcro Adjustable (K0038)	\$
Padded Airmesh Calf Strap (K0038)	\$
· · · · · · · · · · · · · · · · · · ·	

Hanger Release

No selection needed with Contracture Footrest. If no selection is made 4-Way - In line will be

ised.	
Classic	N/C
4-Way - In-Line	N/C
Allows chair to be folded without removing footrest hanger. Not available with	
Pro ELR or Peds Pro ELR.	
4-Way - Out	N/C
Not available with Pro ELR or Peds Pro ELR	

Residual Limb Support

	Limb Support	Price	Omit	Cover		Pad Size				
Left	Left Limb Support (E1020)	\$	Omit Left Hanger	Smooth Cover Left	Air Mesh Cover Left	5X8 Pad Left Side	7X10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side
Right	Right Limb Support (E1020)	\$	Omit Right Hanger	Smooth Cover Right	Air Mesh Cover Right	5X8 Pad Right Side	7X10 Pad Right Side	9x10 Pad Right Side	9x14 Pad Right Side	11x10 Pad Right Side

Seat Height, Casters, and Rear Wheels

Select Seat Height corres	ponding to desired Rear Wheel and Caster Size	

Select Seat Height corresp	onding to des	sirea Rear VVI	Caster Size	3126	
Rear Wheel	5"	6"	6" x 2"	7"	8"
Size			Seat Height		
	13.5"				
	14"	14" 4	14" ⁴		
	14.5"	14.5"	14.5"		
	15"	15"	15"	15" ⁴	
12" with Pneumatic or Pneumatic with Airless	15.5"	15.5"	15.5"	15.5"	
Insert Tire	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17" ³	17" 3
	17.5"	17.5"	17.5"	17.5"	17.5"
	13.5"				
	14"				
	14.5"	14.5"	14.5"		
	15"	15"	15"		
12" with Full Poly Tire	15.5"	15.5"	15.5"	15.5"	
	16"	16"	16"	16"	16" 4
	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17" 3	17" 3
	13.5"				
	14"	14" ⁴	14" ⁴		
	14.5"	14.5"	14.5"		
	15"	15"	15"	15" ⁴	
12" with Drum ¹³ Brake	15.5"	15.5"	15.5"	15.5"	
Diake	16"	16"	16"	16"	16" ⁴
	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
	15"	15"	15"	15" ⁴	
	15.5"	15.5"	15.5"	15.5"	
	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"
16" with Pneumatic,	17"	17"	17"	17"	17"
Pneumatic with Airless Insert or Full Poly Tire	17.5"	17.5"	17.5"	17.5"	17.5"
, ,	18"	18"	18"	18"	18"
	18.5" 4	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"
		19.5" ²	19.5" 4	19.5" 4	
	14"	14" 4	14" 4		
	14.5"	14.5"	14.5"		
	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"	
16" with Low Poly Tire	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"

¹ Self Propel Axle Plate selections limit tilt range

			Caster Size		
Rear Wheel	5"	6"	6" x 2"	7"	8"
Size			Seat Height		
	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"	
	16"	16"	16"	16"	16"
	16.5"	16.5"	16.5"	16.5"	16.5"
16" with Drum Brake	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"
	18.5" 4	18.5"	18.5" ⁴	18.5" 4	18.5"
	19"	19"	19"	19"	19"
	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
20" with Pneumatic,	18"	18"	18"	18"	18"
Pneumatic with Airless	18.5"	18.5"	18.5"	18.5"	18.5"
Insert, Low Poly, Full Poly Tire Or Drum Brake	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"
	20" 4	20" 4	20" 4	20"	20"
	15.5" ¹⁰	15.5" ¹⁰	15.5" ¹⁰	15.5" ¹⁰	
	16" ¹⁰				
	16.5" ¹⁰				
20" Self Propel or Self Propel with Drum Brake	17"	17"	17"	17"	17"
Troper with Drain Brake	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"
	18.5" ⁴	18.5"	18.5"	18.5" ⁴	18.5"
	16.5" ¹⁰				
	17" ¹⁰				
	17.5" ¹⁰				
22" Self Propel or Self Propel with Drum Brake	18"	18"	18"	18"	18"
Troper man Brain Braine	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"
	19.5" ⁴	19.5" ²	19.5" ⁴	19.5" ⁴	
	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"
24" Self Propel ¹	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"
	19.5" ^{7,8}	19.5"	19.5"	19.5" ⁹	19.5" ^{7,8}
	20" ⁵	20" ⁶	20" 6	20"	20"
	18.5" ^{4,11}	18.5" ¹¹	18.5" ¹¹	18.5" ¹¹	18.5" ¹¹
24" Self Propel with 1	19"	19"	19"	19"	19"
Drum Brake	19.5" ¹¹	19.5" ^{9,12}	19.5" ^{9,12}	19.5" ^{9,12}	19.5" ^{9,12}
	20" 4	20" ⁶	20"	20"	20"

⁵ Not available in combination with spoke wheel and Full Poly tire

² Not available with 12" Frame Depth

³ Not available with 12-16" Frame Depth

⁴ Not available with 17-20" Frame Depth

⁶ Not available in combination with spoke wheel, Full Poly tire and 17-20 Frame Depth

⁷ Not available in combination with Mag wheel and 17-20" Frame Depth 8 Not available in combination with spoke wheel, Pneumatic tires and 17-20" Frame Depth

^{9 17-20&}quot; Frame Depth requires spoke wheel and Full Poly tire

¹⁰ Not available with Drum Brake

¹¹ Available only with Full Poly tire

^{12 12&}quot; Frame Depth requires spoke wheel and Full Poly tire 13 Drum Brake not available with Airless Insert







Casters

		Caster Size				
		Price	5"	6"	7"	8"
	.75" Lighted Rollerblade	\$				
	1.25" Soft Roll	N/C				
ype	1" Poly Aluminum	\$				
Caster Type	1" Pneumatic	\$				
Cast	1.5" Soft Roll	\$				
	1.5" Soft Roll Aluminum	\$				
	2" Poly	\$				

Axles

No selection needed with Drum Brake

Fixed	N/C
Not available with Folding Base Frame and Standard Wheel Locks	
Quick Release	N/C

Axle Plates

Standard	N/C
Self Propel Axle Plate	N/C

Wheels

		Rear Wheel Size					
			12"	16"	20"	22"	24"
<u> </u>	Mag	N/C					
Rear Whee Type	Colored Mag ¹	\$					
~>⊢	MAXX Spoke	\$					

1 Mag color selection is on page 7

Rear Tire Type

Low Poly (E2218)	N/C
Available only with 16" wheel size	
Full Poly (E2218)	N/C
Pneumatic (E2211,E2212)	\$
Pneumatic with Airless Insert (F2211, F2213)	\$

Handrims

На

andrims not available on 12" or 16" wheel sizes	
Aluminum Anodized	N/C
Plastic Coated	\$
Projection (8 Vertical Projections)	\$
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels	
Omit Handrim	N/C

Handrim Option

Not available on Plastic Coated or Projection Handrims

3M Micro Grip

Wheel Locks

Wheel Lock

Rear wheels must be removed to fold chair with Push to Lock, Pull to Lock and Dual wheel lock selections

Push to LockPull to Lock	N/C
Not available with 12" or 16" Full Poly tires	
Attendant Foot Lock Available only with 12" and 16" Mag wheels	N/C
Drum Brake (E2228)	\$
Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire. Axle is Quick Release. Requires Anti-Tips.	_ +
Dual - Attendant Foot Lock with Push to Lock Available only with 12" and 16" Mag wheels	\$
Dual - Attendant Foot Lock with Pull to Lock Available only with 12" and 16" Mag wheels	\$
Dual - Drum Brake with Push to Lock (E2228) Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire. Axle is Quick Release. Requires Anti-Tips.	_ \$
Dual - Drum Brake with Pull to Lock (E2228) Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire. Axle is Quick Release. Requires Anti-Tips.	_ \$
Omit	N/C

Wheel Lock Option

Extension Handles (E0961) Available only with Push to Lock or Pull to Lock Wheel Locks







Armrests

Armrest Type	Length		Price
Height Adjustable Pediatric E0973 ¹	Desk(6.5"-9")		\$
Height Adjustable Pediatric 20773	Desk Tall(8"-10.5")		Ф
Height Adjustable T-Arm Tall (11.5"-15") E0973 ²	Desk		d.
Height Adjustable 1-Arm Fall (11.5 -15) E09/3-	Full		\$
Height Adjustable T-Arm (8.5"-13.5") E0973 ²	Desk		\$
Height Adjustable 1-Arm (6.5 -13.5) E0973 4	Full		Ф
Height Adjustable T-Arm Low (6.5"-10.5") E0973 ^{2,3}	Desk		\$
neight Aujustable 1-Affil LOW (6.5 -10.5) E0973 20	Full		Ф

1	Rest:	fit with	Frame I	Denths	less than	14"
_	Dest	IIL VVILII	riunie	Debuis	ess triuri	14

² Not available with 12" Frame Depth

Armrest Type	Len	Length	
Angle Adjustable Locking Extendable Flip Up K0020 ⁴			\$
			Ф
Tubular Flip Up ⁵			N/C
Omit Armrests			N/C

Arm Pads

Standard Arm Pad	N/C
Waterfall Arm Pad	\$
Not available with Angle Adjustable Locking Extendable Flip Up Armrest	
Foam Grip	N/C
Available only with Angle Adjustable Locking Extendable Flip Up Armrest	

Accessories

Removable Side Guards

Not available with Height Adjustable Armrests

Adult Composite Side Guards (14" - 16") (KO108) Pediatric Composite Side Guard (10" - 14") (K0108)

Anti-Tips

Rear Anti-Tips (E0971) \$ N/C Omit

Pelvic Positioning Belts

1" Auto Buckle Pelvic Positioning Belt (E0978)	\$
1" Padded Auto Buckle Pelvic Positioning Belt (E0978)	\$
1 1/2" Auto Buckle Pelvic Positioning Belt (E0978)	\$
1 1/2" Padded Auto Buckle Pelvic Positioning Belt (E0978)	\$
2" Airline Buckle Pelvic Positioning Belt (E0978)	\$
Small Flex-Mount Positioning Belt (16-24") (E0978)	\$
Medium Flex-Mount Positioning Belt (19-29") (E0978)	\$
Large Flex-Mount Positioning Belt (25-37") (E0978)	\$

Belt Mounting Kit

Belt Mounting Band Clamp	\$
Clamp includes hardware to mount Belt	
Seat Belt Mounting Hardware	\$

Spoke Guards

opoke Guarus	
Clear Spoke Guards (K0065)	\$
Black Spoke Guards (K0065) Available only with 22" and 24" Spoke wheels	\$
Blue Monster Spoke Guards (K0065) ¹	\$
Robo Fun Spoke Guards (K0065) ¹	\$
Tutu Cute Spoke Guards (K0065) ¹	\$
Tuxedo Time Spoke Guards (K0065) ¹	\$

1 Available only with 20" and 22" wheel sizes. Not available with Mag wheel

Other Accesories

Tool Kit	\$
Removable Underseat Pouch	\$
Pediatric Ki Mobility Backpack	\$
Ki Mobility Backpack	\$
Black Neoprene Impact Guards	\$
Tilt Stop Posterior (Pair) (KO108)	\$
Tilt Stop Anterior (Pair) (K0108)	\$
Available only with Rigid Base	
IV Pole	\$
Canopy with Hardware (K0108)	\$

³ If requested configuration is unavailable, Standard Height T-Arm will be used

⁴ Not available with Dynamic Back. Available only with 12" and 16" Rear Wheels.

⁵ Not available with Dynamic Back, Reclining Back or Arm Pads







Colour

			Colours																			
		Gloss												Matte								
Options	Price	Black	Ruby Red	Radiant Orange	Yellow	Electric Green	Rich Teal	Glacier Blue	Blue Steel	Deep Sapphire Blue	Purple Plum	Opalescent Violet	Dark Pink	Light Pink	Champagne	Shadow Black	Iridescent Navy	Bright Red	Tactical Green	Dry Earth Tan	Platinum	White
Frame	N/C																					
Accent	N/C																					

Touch-up paint is available for purchase through the parts manual







Cushions and Backrests









Cus		

Backrest:

Other Accessories: