

allard^{INT}

A new carbon footplate from Allard International!

The new Allard Carbon Footplate is developed with more than 25 years of experience in carbon composite AFOs. The footplate is autoclaved, lightweight, and mirrors the shoe's silhouette for a more comfortable fit. The footplate contributes to minimized pain for patients with various stress fractures, injuries, or arthritis conditions in the fore- or midfoot area.

A photograph of two hikers with large backpacks walking away on a rocky trail in a mountainous landscape. The hiker on the left is wearing a grey backpack and dark leggings, while the hiker on the right is wearing a blue backpack and dark shorts. Both are using trekking poles. The background shows a vast mountain range under a clear sky.

Support for Better Life!


A new carbon footplate from Allard International

The carbon footplate is intended to protect the MTP joints and the forefoot by limiting the ROM, distributing the pressure in the forefoot, and facilitating rollover. The foot plate can also be used to gradually increase movement after immobilizing treatment with a post-op shoe or walker. It can improve balance after toe amputation, dig IV, and/or V.

The footplate should be covered by an insole or custom foot orthotic.

Indications:

Hallux rigidus, Hallux limitus, stress fractures and other injuries or arthritis conditions in the forefoot/midfoot, forefoot trauma, sprained toe.



| Item no | Size | Left/Right | Length | Width |
|---------|------|------------|--------|-------|
| 28035 | S | Left/Right | 235 mm | 77 mm |
| 28035 | M | Left/Right | 255 mm | 80 mm |
| 28035 | L | Left/Right | 275 mm | 90 mm |
| 28035 | XL | Left/Right | 305 mm | 99 mm |

Leading the way in carbon composites

With over 25 years of innovation and development of Allard AFOs, we have accumulated extensive knowledge and expertise in composite materials and processing techniques. Our carbon footplate is produced in a state-of-the-art facility, utilizing the latest composite manufacturing techniques and equipment. With all the power requirements sourced from renewable energy sources, we can proudly say that our product is produced with 100% renewable energy.